



27W SPOT BEAM LED LIGHT elastic head strap (camo pattern).

02225

\$9.99

\$8.69

Powerful COB (Chips on Board) LED with 3 levels of brightness and adjustable

- Lumens 120Lm
- · Max. Light Distance 20m
- Modes 100% / 50% / SOS
- Work Time up to 6hrs @ 100% / 30hrs 50S





HAND HELD SODA **BLASTER GUN**

PE3042 \$109-25

595.00

ENVIRONMENTALLY FRIENDLY, CHEMICAL-FREE STRIPPING

This portable soda blaster uses safe, harmless dry baking soda blast media instead of sand. A low-impact, eco-friendly way to strip paint, use this soda blaster to clean delicate parts, soft metals or to work in areas where other blast media would be a hazard. This soda blaster is ideal for smaller areas and touchup work - clean up dust and residue with water.

Specifications:

- Tank 1.0l/0.69kg/1.5lb capacity (Sodium) Bicarbonate)
- Air consumption 8.5cfm @ 90 PSI
- Working pressure 35-90 PSI
- Steel Nozzle 5mm
- · Net Weight 3.6kg









TORQUE PLUS RANGE

COMPACT, LIGHTWEIGHT AND RELIABLE

Forward/reverse function

Window scale in Nm

Safety lock button to enable reliable locking of the torque setting.

Ergonomically designed handle featuring two component grip for comfort.

Hanging hook

Teng Tools torque wrenches have quickly become one of the most used within the automotive sector as well as light industry. This new range of industrial quality 'Plus' torque wrenches are supplied with a fully traceable calibration certificate from the date of manufacture. They are 72 teeth which allows for accessibility in confined spaces and they perform to an accuracy of \pm 4% which meets international standards.

	Price ex GST	Price inc GST	Scale (Nm)	Range (Nm)	Drive	CODE
MAL	299.00	343.85	0.5	12-60	3/8"	3892P060
Same	314.00	361.10	0.5	20-100	3/8"	3892P100
Save Over	314.00	361.10	0.5	20-100	1/2"	1292P100
30%	325.00	373.75	1.0	40-200	1/2"	1292P200
Off RRP	599.00	688.85	2.0	60-320	1/2"	1292P320
Tun V	739.00	849.85	2.5	100-500	3/4"	3492P500

NEW IMPACT BITS

TRY BEFORE YOU BUY!

To claim your sample Teng Tools High Torsion Impact Driver Bit put one of your old driver bits in an envelope and post to ISL Industrial Ltd, PO Box 58140, Botany, Auckland 2163. Include a note with your name and postal address so we can send you, your brand new Teng Tools High Torsion Impact Driver Bit.

Or email tengtools@tengtools.co.nz Please answer within your email these three qualifiers;

- Do you use 1/4in Hex Impact Driver Bits on a daily basis? Y/N (if Y, please also state your trade/ industry)
- What brand are you currently using? (Please state name of brand)

TENG TOOLS

Have you purchased or intend to purchase Teng Tools from this Trade Essentials Issue #298 Y/N

COME AND HAVE A GO IF YOU THINK YOU ARE HARD ENOUGH



The new range of Teng Tools impact bits is now available. These bits have been tested against competitor brands and have come out on top every time! The new bit design allows for a higher torsion. The full range includes PH, PZ, HEX, TX, ROB and GR head types and are available in three different lengths 30, 50 and 89mm. Once you try these bits you will never use another brand again!

AVAILABLE IN:



















Limited to one per person and open to NZ postal addresses only 300 only available, 150 x PZ2 & 150 x ROB2 If no answers have been





KNIFE & TOOL SHARPENER

WSKTS \$228.85

199.00

· Using flexible abrasive belts, the sharpener is able to sharpen not just straight bladed knives, but also curved knives, tanto blades, filet knives, serrated knives,

Two guides are included - a 50° guide for hunting & outdoor knives (25° per bevel) & a 40° guide for thinner blades & kitchen knives (20° per bevel).

 Sharpens scissors, axes & hatchets, mower blades, garden shears, shovels and almost any tool with a blade.



GUIDED FIELD KNIFE SHARPENER

WSGFS221 \$78.20

568.00

20° & 25° sharpening guides create consistent blade edge angles.

Sharpening guides are purpose built for your hunting knives, pocket knives & filet



INDUSTRIAL 2.5-19MM DRILL BIT CAP.

DD750X

\$539.00 \$619.85



Drill Doctor

The DD750X has the flexibility required to sharpen the largest range of dull or broken bits, including split points & mosonry bits.

- One chuck sharpens all sizes 3/32" 3/4" / 2.5-19mm
- · Adjustable material take-off allows user to change the amount of bit material that can be removed to further extend the life of your bits.
- Permanent magnet motor produces consistent power, regardless of speed or load
- Sharpens High-speed Steel, Carbide, Cobalt, TiN-coated and Masonry bits.
- Custom Point angle sharpening choose any angle from 115° to 140°.

Includes professional hard shell carrying case.

KNIFE & TOOL SHARPENER **'KEN ONION' EDITION**

\$399.05





Work Sharp has teamed up with renowned knife maker Ken Onion to deliver the ultimate sharpening solution for your home or workshop. The Work Sharp Knife & Tool Sharpener - "Ken Onion Edition" will sharpen every knife you own, quickly and

Expertly designed features include:

- An adjustable sharpening guide to produce precise edge bevels from 15° to 30°
- Premium flexible abrasive belts to deliver a strong, long lasting razor-sharp edge
- · A variable speed motor to handle every sharpening task, from grinding to honing

Complete with

 5 Pce abrasive belt kit - P120 extra coarse, X65 coarse, X22 medium, X4 fine, 6000 extra fine

HANDYMAN 2.5-13MM DRILL BIT CAP.

\$266.80

232.00

The DD360X is ideal for the home workshop. It provides the homeowner, weekend craftsman, or hobbyist with the sharpening power needed to restore dull bits & keep on working.

- On Chuck Alignment, eliminates alignment port for simplified sharpening process.
- New permanent magnet motor produces consistent power, regardless of speed or load.

Sharpens 3/32" to 1/2" / 2.5-13mm drill bits

- · Sharpens to a 118 degree point angle.
- Sharpens High-speed Steel, Carbide, TiN-coated and Masonry bits.





INDUSTRIAL 2.5-13MM DRILL BIT CAP.

DD500X

\$493.35

5429.00

The DD500X has the flexibility required to sharpen the largest range & most popular sizes of dull or broken bits-including split points & masonry bits. Increase capacity with optional 3/4" chuck accessory.

- One piece alignment system improves precision, and adjustability.
 Sharpens 3/32" 1/2" / 2.5-13mm drill bits.
- Sharpens High-speed Steel, Carbide, TiN-coated and Masonry bits.





STANDARD LEVER **ACTION GREASE GUNS**

EACH \$33.35

529.00

- Drop resistant steel head construction.
- Develops 6,000 PSI / 413 BAR.
- · Air release either through loader fitting on the grease gun head or half turn of the head assembly.
- · Soft rubber grip on lever handle for comfortable operation.
- Durable powder coated finish.
- · Complete with 6" (150mm) steel extension & standard 4 jaw coupler with ball check.

GZ42500 - 400gm

GZ42580 - 450gm



ROTARY PUMP



GROZ

HEAVY DUTY INDUSTRIAL \$258.75

\$225.00

stroke. gallons (205 litre) barrels

An economical way to dispense exact quantity of media per

Heavy duty Industrial Pump that dispenses 1 Litre per stroke. Pump has a built in 2" Bung Adaptor & comes complete with a telescopic suction tube for use with 15 gallons (50 litre) - 55

Other design features include:

a. Spring Loaded Drain Back Tube for overflown media b. Lockable handle which allows the pump to be pad locked, when not in use.

GZ44187

c. Lock Nut for positioning the pump outlet in any direction

Wetted Components - Steel, Aluminum, Nitrile Rubber & Acetal Recommended Use - Gear & Lube Oil, Petroleum based Med la, Diesel & Kerosen Do Not Use - Water Based & other corrosive fluids GROZ

GZ44081

\$332.35 #



60L DRUM SPRING LOADED OIL PUMP

HEAVY DUTY VARIO

Develops 7000 PSI / 480 BAR

Robust aluminium die cast head with bulk

· Complete with 12" (300mm) high

 Delivers up to 0.84gms / stroke. 3-way loading, 450gm cartridge, suction

fill or filler pump loading.

pressure flexible hose & professional 4-jaw coupler with ball check.

handle.

filler valve.

PISTOL GRIP GREASE GUN \$73.50

Change in stroke achieved through simple press of movable

· Variable stroke mechanism for both high volume or high pressure applications

(High volume for faster greasing and high pressure for use in cold weather).

GZ44135 \$217.35

GZ44176

\$54.05

GZ43088

189.00

56L-00

 Pump has an all metal construction with built in 2" Male threads into the pump head.

 Pump head incorporates drain back port to minimize wastage & spillage of over flown media.

Supplied complete with 5' PVC hose fitted with a quality Oil control

Designed for use with 60 Litre Drums.

Wetted Components - Steel, Aluminum, Zinc, Bross, NBR, Polypropylene & PVC. Recommended Use - Engine & geor Oils upto SAE 140, Automatic Transmission Fluids Do Not Use - Water based & other corrosive media.



\$47.00

GROZ

INDUSTRIAL ROTARY **FUEL TRANSFER PUMP**

. Deliver media with a head / lift up to 20ft.

· Solid cast iron construction, fully CNC machined to close tolerances.

- Pump Handle rotates a high quality sintered powder metal 3 Vane Rotor inside a highly finished pumping chamber.
- Graphite Veins are self lubricating & non wearing.
- Self Priming operation with discharge up to 38 LPM (10 GPM)
- Supplied complete with 2" Bung, Telescopic Suction Tube with Strainer for use with 15 gallons (50 litre) - 55 gallons (205 litre) barrels.

Wetted Components - Cast Iron, Steel, Graphite, Paper, Polypropylene Do Not Use - With Water Based Media





\$289.00

20L DRUM EZEE FLO HAND LIFT PUMP

. For use with 20L drums.

. Includes 2 adaptors for use with plastic & metal drums

Additional adaptor for use with plastic pull-out

 Pump comes complete with 1220mm discharge hose fitted with curved metal spout.

Delivers 1L per 15 strokes.

Recommended Use - Engine ails, gear ails, diesel fuel, 100% anti-freeze and light fuel ail. Do Not Use - With water based & corrosive media.





GROZ

BATTERY OPERATED SYPHON PUMP

GZ44410

\$29.00 \$33.35

· Battery Operated pump for quick & convenient transfer of Diesel, Kerosene, Light oils & water based media.

 Ideal for transferring small qty's of media into boats, garages & small shops.

- Delivers: upto 7 LPM (1.8 GPM).
- Suitable for use on 20 litres/ 5 gallon drums.
- Self Priming pump. Works on a battery operated 3V DC motor.
- Pump is operated by pressing the actuation button located on top.
- Hang Hole provided at top allows pump to be conveniently stored when not in use.
- Works on 2 "D" size (LR20) Alkaline Batteries (not included with the pump). Approx. working life with one set of batteries is 396 gallons (1500 Litres).
- Complete with 23-1/2" (600mm) long flexible corrugated discharge hose.



METAL OIL CANS

FROM

\$13.23

- · All Steel construction.
- Premium powder coated finish,
- · Bross Pump.
- Metal pump has 2 ball valves for large volume delivery per stroke.

GZ41630 - 200ml \$11.50 (ex put)

\$13-23 (inc gst)

GZ41631 - 300ml \$12.30 (crest)

\$14.15 (inc gut)

GZ41633 - 500ml \$14.20 (ex put)

\$16-33 (Inc gst)

GZ41634 - 700ml \$16.00 (ex gut)

\$18.40 (Inc gut)







Aluminium/steel garage jack with a twin piston pump for a quick lift action. Features include a rubber pad which protects vehicle underside and nylon nonmarking wheels for quieter movement. Lightweight aluminium/steel construction with a tough anodised finish. Safe & simple to operate twist lock / unlock valve.

- · 2500kg Safe Working Capacity · Low Profile
- · Nylon non-marking wheels
- · Maximum Height 465mm
- · Handle Length 1085mm
- . Minimum Height 100mm
- . Twin Pump (5.5 Strokes to Full Height)
- · Net Weight 25.6kg

HD LOW PROFILE TRANSMISSION JACK

PE2022 \$1493.85 M

This low-profile transmission jack features a 3-way adjustable tilt saddle, four 3" diameter easy-roll castors and a swivel pump handle than can be repositioned in

- . 900kg (2000lb) Safe Working Capacity
- Minimum Height 254mm
- · Maximum Height 1118mm
- Saddle Forward Tilt 40°
- Saddle Backward Tilt 25°
- Saddle Lateral Tilt 12°
- Overall Base Dimensions 1226(L) x 705(W)mm
- Net Weight 136kg





HYDRAULIC TRANSMISSION JACK

PE2052 \$849.85

5739.00

Free up your hands and easily guide a transmission safely and securely. This Transmission Jack features an adjustable saddle with corner brackets. Great for any automotive or light truck transmission installation or removal.

- . 500kg Capacity
- · Complete with safety chains
- · Double tilting working head
- Max height 1760mm
 Min height 855mm
- Stroke 905mm
- · Net Weight 61kg





SQUAT BOTTLE JACKS

FROM \$63.25

\$55.00

Squat type single stage bottle jack for general purpose use. For vertical use only. Approved to AS/NZS 2693-1993

PE2015 - 12000kg \$55.00 (ex got) Hydraulic Lift - 85mm

\$63.25 (Inc git)

- · Adjustable Height 50mm
- · Min Height 180mm · Max Height - 315mm Bose Area - 157 x 134mm • Net Weight - 6.1kg

PE2016 - 20000kg \$79.00 (ex gst)

\$90.85(Inc gat)

- · Hydraulic Lift 100mm
- · Adjustable Height 60mm
- Min Height 200mm
- Max Height 360mm
- Base Area 167 x 156mm Net Weight 10.2kg



20000KG AIR HYDRAULIC BOTTLEJACK

PE2026 \$239.20

\$208.00

Designed and built to withstand every day use in Heavy Duty applications, including roadside service, fleet maintenance, off road vehicle service and much more.

- 20000kg Capacity
- · Hydraulic Lift 160mm
- · Adjustable Height 85mm
- · Minimum Height 265mm
- · Maximum Height 510mm Working Pressure - 90-120psi
- · Air Inlet 1/4" NPT
- Net Weight 16.3kg







TORQUE STICKS 1/2" DRIVE

EACH \$26.45



1/2" drive torque stick for tightening wheel nuts using percussive nut runners When the intended tightening torque is reached the socket end stops while the drive end springs back between each stroke. Reduces the risk of sheared wheel balts or deformed rims. Suitable for retaining rings and pins.

923090 - 90Nm

923110 - 110Nm

923120 - 120Nm

923140 - 140Nm

DO'S AND DON'TS OF TORQUE

THE RIGHT DRIVE

Use the correct drive of torque wrench to suit the size of fastening you need to turn and how much torque you need to apply. The larger the drive the more torque can be applied.

KEEP IT CLEAN AND DRY

After use always check the tools are clean and dry before putting them away, this will help to avoid problems such as corrosion and moving parts seizing or becoming tight.

STORE IT PROPERLY

After use return the torque wrench setting to zero and store the tool in it's original case or a suitable case that will give adequate protection.

CHECK IT REGULARLY

All torque wrenches need to be checked periodically and sometimes adjusted. A recalbration fee will apply.

BE CAREFUL

Torque wrenches are a measuring instrument and need to be treated with care - if you drop it you should get the calibration checked before using the torque wrench again.

DO NOT USE SCAFFOLDING POLES OR SIMILAR

If the fastening will not turn with the tools you are using you need to use a more powerful tool such as a larger tool or even an impact power tool. Do not use bars to increase the leverage - it is dangerous and can break the tool.

DO NOT USE A VEHICLE TO TURN THE NUT

Do not fix a torque wrench on to a fastening and then drive the vehicle to force it to turn - needless to say it is dangerous and can break the tool.

DO NOT USE IT AS A BREAKER BAR

Torque wrenches are for measuring and should not be used as a breaker bar to shift stubborn fastenings.

1/4" & 3/8" TORQUE **WRENCH STD SERIES**

\$76.00



Torque wrench according to ISO 6789. With ratchet the torque wrench can be used for both tightening, and final checking of the torque. Lockable setting. Accuracy ±4%.

1492AG-E - 1/4" Drive 5-25Nm (4-18ft/lb)

\$76.00(ex gut) · Length - 277mm

\$87.40 (Inc gat)

\$90.85 (Inc gat)

3892AG-E1 - 3/8" Drive \$79.00 (ex gat) 5-25Nm (4-18ft/lb)

Length - 277mm

3892AG-E3 - 3/8" Drive \$89.00 (ex gut)

\$102.35 (Inc gut) • 20-100Nm (15-75ft/lb) • Length - 368mm



8 PC 1/2" DRIVE IMPACT TORSION BAR SET

\$149.00 \$171.35

Torsion bars and wheel nut sockets in a set.

For tightening wheel nuts on cars.

· When the intended tightening torque is reached the socket end stops while the drive end springs back between each stroke.

Reduces the risk of sheared wheel bolts or deformed

Contents:

Torsion bars 1/2" (Nm) - 90, 110, 120 & 140 Wheel nut sockets 1/2" - 17, 19 & 21mm Impact adapter drive - 3/8" - 1/2"





PRESET TORQUE SPANNERS

EACH

\$104.00

For Use on Brass Flare Connections in Air Conditioning & Refrigeration. Manufactured to Standard ISO6789-1992.

Accuracy ±4%

TQS018 - 17mm (18Nm)

TQS042 - 22mm (42Nm)

TQS055 - 26mm (55Nm)

TQS065 - 29mm (65Nm)





4 PIECE PRESET TORQUE SPANNER SET

Supplied in case with EVA foam insert.

ACD01 \$458.85 8

\$399.00

For Use on Brass Flare Connections in Air Conditioning & Refrigeration. Manufactured to Standard ISO6789-1992.

Contents:

TQS018 - 17mm (18Nm to suit 1/4" flare nut)

TOSO42 - 22mm (42Nm to suit 3/8" flare nut)

TQS055 - 26mm (55Nm to suit 1/2" flare nut) TQS065 - 29mm (65Nm to suit 5/8" flare nut)





1/4" DRIVE TORQUE SCREWDRIVERS

FROM \$148.35

\$129.00

For precision tightening of screws and bolts.

For right hand action, with 'slipper' mechanism

With 1/4" drive and adapter for 1/4" bits.

Suitable for e.g. fine mechanics, electronics, etc.

Supplied in plastic box.

1492SD - 1-5Nm

\$129.00(00 500) 1492SDA - 2-8Nm

\$148.35 (Inc gut)

\$139.00(41 51) \$159.85 (Inc gut)





1492SDA Pictured





Set Contains:

3 x Phillips - #0 x 60, #1 x 75 & #2 x 100mm 3 x Flat - 3 x 75mm, 5.5 x 100mm & 6.5 x 125mm



\$21.00





 11" (275mm) Includes 2 x straight & 2 x bent

· Supplied in storage wallet



PE9022

200MM MULTI PURPOSE MIG PLIERS

PE9058 \$19.90

205401

\$17.30

- Specifically designed for CO2 Welding Torches
- · 200mm, spring loaded with vinyl handle

- · Splatter removal, in & outside the nozzle
- · Splatter removal from nozzle end
- Hammering
- · Tip removal & installation
- · Wire cutting
- · Nozzle removal and installation
- · Insulation, bushing removal & installation
- Wire drawing out





4 PC PLIERS CIRCLIP SET

202024 \$11.39

\$9.90

\$36.00

- · 150mm (6")
- External 10-50mm (3/8-2")
- Internal 10-50mm (3/8-2")
- . Complete with 180°, 45°, 90° Tips



FENCE PLIERS

200075 \$33.35

\$29.00

- 270mm (10-1/2")
- Chrome-Vanadium Steel
- · Non-slip bi-material handle.



4 PC CIRCLIP PLIER SET EXTERNAL / INTERNAL

480

\$19.00



For internal & external circlips 10-50mm. Four interchangeable heads giving eight different combinations. The tips are magnetic. Return spring. Plastic covered handles.

MB 8-1/2" INSULATED LINESMAN PLIER

MB450-8

\$44.85

\$39.00

- · Chrome Molybdenum Steel.
- Heavy Duty model with pipe grip & serrated grip surfaces.
- With ergonomically designed two component handle sleeves.
- · Capacity Piano wire (2.0mm)



Champion Essortment Specials



Champion Parts Protects Its Reputation As a Superior Supplier By Using Only **Quality Assured Components**

Replacement packs are available for all Champion Assortments



CA108

\$68.00



- 15 sizes
- Straight, 45°, 67.5° & 90°
 UNF, BSF, BSP & NPT threads (1/4", 5/16" & 1/8")

113 Pieces

CA1760 METRICGIRGLID 561.00



- 14 Sizes
- . Internal & External 6mm to 25mm

155 Pieces

CA225 IMPERIAL COPPER WASHER \$13225 100



- 12 sizes
- 20 Gauge Thickness
- · 1/4" 1

260 Pieces

\$115.00

METRICGREASE NIPPLE

\$7820

\$68.00



- 12 sizes
- Stroight, 45° & 90°
- · M6, M6 & M10 diameters, fine

& coarse threads

105 Pieces

IMPERIAL GIRGLID

\$59.90 \$68**



- 14 Sizes 1/4" to 1" Shaft Size
- Internal & External

155 Pieces

MM & AF SPLIT

\$6325

\$55.00





- 1.6-4.0mm diameter (inc 7/64" & 9/64")
- 22-50mm long
- · Zinc plated steel

800 Pieces

METRIC MACHINE SCREW

CA21

\$47^{.90}



- . 12 sizes M3 to M6 Dia. Including Nuts to suit
- · 10mm to 25mm long · Pan Head Phillips
- Zinc Plated

520 Pieces

BLANKING GROMMET **CA90**

558.00

Chompion			CMR 19		
-	more	81810	Audit.		
W10. 10	977. 18	mrs. 10	-		
	1000000	1000000	400 m	•	
Time I	**************************************	75-01	1000		
		***	-		
900.00	arr	mr	1.60°		
W/ 2000	-	- mark	No. of Street		
Townson Mary					
237 2	20	9 6	6.0		
E-1 00					
631 6ª					
62 F				A	
				-	
			ic in	-	
	3			1	

- Rubber
- · 8 Sizes 5/16" to 1-1/8" (Panel Hole Size)
 - 91 Pieces

91 Pieces

ELECTRICAL WIRING GROMMET 569⁵⁰

560.00



- 12 Sizes 1/8" to 29/32" (Wire Hole Size)
- 83 Pieces

83 Pieces

ASME PALD 2009

HYDRAULIC DOTTLE 100% FACTORY TESTED

GROZ HYDRAULIC BOTTLE JACKS

A must for every mechanical workshop or when you need to lift stuff. Conforms to ASME PALD 2009 Standard.

Rugged construction with Smart base plate design - light weight yet sturdy with weight distributed optimally for stability and durability. 100% factory tested with 50% safety overload factor. Ideal for use on heavy duty trucks, agriculture, construction, mining, automotive, and marine applications where lifting, pushing, spreading, bending, pressing, or straightening are required.







Part No	Сар	acity	Lift Ran	ge	Box	Price	Price
	(ton)	(kg)	(inch)	(mm)	Qty	ex GST	inc GST
GZ61711	4	3629	6-11 / 16-13	170 - 330	1	\$41.00	\$47.15
GZ61714	12	10886	8 5/8 - 16 9/32	219 - 414	1	\$79.00	\$90.85
GZ61715	20	18144	9 5/8 - 17 11/16	245 - 449	1	\$109.00	\$125.35
GZ61716	32	29030	11 7/32 - 18 5/16	285 - 465	1	\$259.00	\$297.85
GZ61717	50	45359	11 7/32 - 18 5/16	285 - 465	1	\$349.00	\$401.35

YOU CAN'T BUY HAPPINESS BUT YOU CAN BUY TO LS

AND THAT'S KIND OF THE SAME THING

BUILD THE ULTIMATE TOOL KIT... YOUR KIT YOUR WAY




tengtools@tengtools.co.nz facebook.com/TengToolsNZ www.tengtools.co.nz/2010 www.tengtools.com





BUILD-A-KIT... YOUR WAY!







72 Teeth Ratchet, Spinner Handle, 2 extns, uni joint, adaptors, regular sockets 4-13mm, deep sockets 4-13mm, bits sockets (Blade, PZ, PH) & assorted bits.

36 PC 3/8" DRIVE MM SOCKET SET





72 tooth ratchet, rotating spinner handle, 3" extn, uni joint, adaptor, regular sockets 8-22mm, bits sockets

27 PC 1/2" DRIVE METRIC SOCKET SET

\$184.00



72 tooth ratchet, 2 extns, uni joint, adaptor, regular sockets 10-24mm, deep sockets 10-19mm.









21 piece impact socket set. AND Statement PVA plastic TC tray with removable lid. Three colour EVA 21 piece impact socket set. ANSI standard. Supplied in a

11 PC MEGA DRIVE SCREWDRIVER SET

42 PC MASTER KEYSET



\$96:00

TEDHT42 \$125.00



11 piece screwdriver set including miles.
Pozidriv tips. With shoft of TT-MV PLUS steel. Three

15 PC ROE COMBINATION SPANNER SET





 15 piece Chrome Vanadium combination spanner set. Three colour EVA foam.
 Sizes - 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18,19mm

7 PC T-HANDLE METRIC



\$82.00



Metric hex keys 1.5-10mm. AF hex keys 5/64"-3/8" TX keys 8-40TX. Folding key set (hex, TX, Blade, PH & PZ). Mini TX T handle 6-15TX

4 PC ADJUSTABLE WRENCH



\$151.00



3 x 10° shifters (150, 200 & 250mm) and 1 x 200mm extra wide opening shifter.

With ball point head on the long key end which permits turning even at a 30° angle. Three colour EVA foam. . Hex Keys - 2.5, 3, 4, 5, 6, 7, 8mm

13 PC EXTENSION BAR SET





6 extn bars, 1/4", 3/8" & 1/2" dr, uni joints, 1/4", 3/8" & 1/2" dr, adaptor 3/8"-1/4" plas qu T handle adaptor

7 PC COMBINATION SPANNER SET








Chrome vanadium steel, 12 point at ring end with 15° offset, satin finish.



BUILD YOUR KIT



get ordanized_







A comprehensive 1,055 piece tool kit covering just about every type of regularly used technician's tools. Built up using the unique Teng Tools TC tray system and supplied in the 8 series 6 drawer top box, 3 drawer middle box and 7 drawer roller cabinet. The tool contents is configured to suit any service technician. Brackets are included for securing the middle box to the roller cabinet and a side plate is also included for hanging tools.

249 PIECE TENGTOOLS GENERAL METRIC TOOL KIT (EVA)

TCEMM249N

\$2899.00





















A comprehensive 249 piece tool kit with the tools laid out in three colour pre-cut EVA foam which clearly shows if any tools are not in their correct place. Supplied in the Teng Tools TC806NF 6 drawer top box and TCW807N 7 drawer roller cabinet, all with ball bearing slides. Each EVA tool set supplied in plastic case with removable lid.

- Built up using the unique Teng Tools Teng TC-Tray* modular system with EVA inserts.
- Set has a total of 12 double width TC-Trays, and 4 x TTX trays
- Supplied in a TC806NF / TCW807N 8-series ball bearing slide top box / roller cabinet with combination locks (no keys).
- Tool set includes 165 sockets & accessories, 1/4", 3/8" & 1/2" drive, spanners, pliers & screwdrivers (incl. VDE), T-Handle Hex / TX drivers and torque wrenches.

491 PIECE GENERAL METRIC TOOL KIT

\$2499.00







Comprehensive general tool kit supplied in the 8-series 7-drawer Roller Cabinet (TCW807N) with ABS Parts storage top. Kit includes 1/4", 3/8" & 1/2" drive socket sets, combination spanners (8-32mm), screwdrivers & pliers plus a good selection of more specialised tools.



TCMM491N \$999³⁵ &

\$869.00









This 140 piece tool kit contains 1/4", 3/8" & 1/2" drive socketry, spanners, pliers and screwdrivers. Also included is the TTPS09 tray set with adjustable wrenches, power grip pliers, utility knife, hack saw, hammers, a measuring tape and a steel rule. This kit is supplied in the 8 series 6 drawer top box.

PORTABLE PRACTICAL DURABLE SOCKET SETS

Secure lock system with click mechanism



100% recyclable packaging



A complete range of socket sets are available, 1/4" up to 1" drive, metric and imperial.



Hardwearing hinge with metal pin for increased life





tengtools@tengtools.co.nz facebook.com/TengToolsNZ www.tengtools.co.nz/2010 www.tengtools.com

\$28.00

SOCKET SETS ACCORDING TO TENG

3/8" DRIVE CLIP RAIL SOCKET SET

These clip rail socket sets consist of 6 point deep metric sockets made from chrome vanadium steel with a satin finish. All of our sockets are produced according to the Teng Tools "hip grip" system, which means the socket grips on the flat surfaces of the nut rather than the corner.

Also Available

M1407 - 1/4" Drive M1207 - 1/2" Drive

SOCKET SET

\$23.00

22 PC 1/4" DR MINI MM

\$2645 px p0

\$5900

\$67.85 ax pt



A 22 piece socket set containing 4 to 13mm regular 6 point sockets. It also includes a 60 teeth ratchet & accessories. It is stored in a plastic case with snap lock & metal pin hinges.



36 PC 1/4" DR MM REG/

T1436 DEEP SOCKET SET \$70.15

A 36 piece socket set containing 4 to 13mm regular 6 point sockets and 6 to 13mm deep. It includes an FRP ratchet & accessories. Supplied in a plastic case with snap lock and metal pin hinges.



34 PC 3/8" DR MM REGULAR SOCKET SET

T3834

A 34 piece socket set containing 8 to 19mm regular 6 point sockets. It also includes an FRP ratchet, 3" and 6" extension bars and an adaptor. It is stored in a plastic case with snap lock & metal pin hinges.



21 PC 1/2" DR MM REGULAR SOCKET SET

T1221 \$143.75

A 21 piece socket set containing 10 to 32mm regular 12 point sockets. It also includes a quick release, flip reverse ratchet & accessories. It is supplied in a plastic carrying case with latch lid, retractable

handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding.



Also Available

T1221-6 - 1/2" Dr 6pt \$64.00 med

95 PC 1/4 & 1/2" DR MM SOCKET & TOOL SET

This hugely popular 95 piece set contains regular and deep 1/4" drive metric sockets, 1/2" drive regular 6 point sockets, FRP ratchets, universal joints, extension bars, 1/2" drive spark plug sockets and other socket accessories and screwdriver bits. The set also includes combination spanners and screwdrivers. It is supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding.



\$217.00



FROM 16 PC THREAD REPAIR \$30.00 KITS - METRIC \$34.50 CTRK508 - M5 x 0.8 \$30.00(ex gst) \$34.50(inc gst) \$30.00(ex gst) \$34.50(inc gst) CTRK6100 - M6 x 1.00 \$44.00 (ex gst) \$50.60 (inc gst) CTRK8125 - M8 x 1.25 CTRK10125 - M10 x 1.25 \$50.00(ex est) \$57.50(inc est) CTRK10150 - M10 x 1.50 \$57.00 (ex gst) \$65.55 (inc gst) CTRK12125 - M12 x 1.25 \$74.00 (ex gst) \$85.10 (inc gst) CTRK14125 - M14 x 1.25 \$86.00 (ex gst) \$98.90 (inc gst) Tap, Drill Bit, Installation & Breakoff Tools. 12 x Thread Inserts (Various Lengths) Champion





- Drill Bits
 Installation Tools Tops
 - Break-Off Tool

CTRKMET-5

Thread Inserts (as per below)

70 PC THREAD REPAIR

Insert Sizes:

100 pack

- M5 x 0.8mm
- M6 x 1.00mm
 M8 x 1.25mm

710-100

\$44.85

M10 x 1.50mm • M12 x 1.75mm



CT1000B \$34.39

\$29.90



- All Nylon one piece construction (PA66)
- Nylon Cable Ties are UV weather resistant with a temperature rating of -40°C
- Nylon Cable Ties use UL approved nylon 6/6 with flammability rating of UL94 V2.

Pack Contents:

- 100 x 2.5mm 200
- 150 x 3.6mm 200
- 200 x 4.8mm 400 • 300 x 4.8mm - 200

60MM STANDARD UTILITY KNIFE BLADES

 Quality standard utility knife blades. · Comes with spring loaded dispenser.

To Suit Knifes 710, 710N, 711 & 712





\$39.00

350PC COLOURED GABLE TIE ASSORTED PACK

CT350C

\$17.90 \$20.59

· All Nylon one piece construction.

100 x 2.5mm (200 ties) - 200 x Natural


200 x 3.6mm (100 ties) - 20 each x Red, Yellow, Blue, Green & UV Block

300 x 4.8mm (50 ties) - 10 each x Red, Yellow, Blue, Green & UV Black



SNAP-OFF KNIFE BLADE **9MM 100PCS**

710A-100



FROM **INSIDE CALIPERS** \$13.70 \$15.76 · Manufactured from selected steel. Calipers and dividers have a spring joint for precision settings. Legs pivot on a roller and are tensioned by a bow spring. Divider points are hardened for increased wear resistance. Large bearing surface prevents side deflection of legs.

GZ01401 - 100mm \$13.70(ex gst) \$15.76 (inc gst) \$16.70(ex gst) \$1921(inc gst) GZ01402 - 150mm \$22-30(ex est) GZ01403 - 200mm \$25.65 (Inc gst) \$29-50 (ex gst) GZ01404 - 250mm \$33.93 (inc gst) GZ01405 - 300mm \$34.60(ex gst) \$39'79 (inc gst)



OUTSIDE CALIPERS Manufactured from selected steel.

FROM \$15.76

GZ01540

FROM

\$24.61

\$14.84

\$13.70


 Calipers and dividers have a spring joint for precision settings Legs pivot on a roller and are tensioned by a bow spring.

 Divider points are hardened for increased wear resistance. Large bearing surface prevents side deflection of legs.

GZ01411 - 100mm \$13.70(ex gst) GZ01412 - 150mm \$16.70(ex gst) \$19-21(inc gst) GZ01413 - 200mm \$22.30(ex est) \$25.65(Inc gst) GZ01414 - 250mm \$29.50(ex gst) \$33.93(inc gst)

GZ01415 - 300mm \$34.60(ex gst) \$39-79 (Inc gst)

GROZ



SPRING DIVIDERS

FROM \$15^{.76}

\$13.70

Manufactured from selected steel.

Calipers and dividers have a spring joint for precision settings.

Legs pivot on a roller and are tensioned by a bow spring.

Divider points are hardened for increased wear resistance.

Large bearing surface prevents side deflection of legs.

GZ01421 - 100mm \$13-70(ex gst) \$15.76 (inc gst) GZ01422 - 150mm \$26.70(ex gst) \$30-75 (inc gst) GZ01423 - 200mm \$22.30(ex gst) \$25.65 (inc gst) GZ01424 - 250mm \$29.50(ex gst) \$33.93 (Inc gst) GZ01425 - 300mm \$34.60(ex gst) \$39-79 (Inc gst)



150MM (6") JENNY CALIPER

Manufactured from selected steel.

· Very useful in layout work for locating and testing centres, laying off distances from an edge etc.

Working faces hardened to 58 HRC.



\$12.90





5 PC HEAVY DUTY CENTRE PUNCH SET

A set of 5 Centre Punches containing one each of

5/64" (2mm), 1/8" (3mm), 5/32" (4mm), 1/4"

(6mm) & 3/8" (10mm) packed in a vinyl pouch.

these are amongst the strongest and most

Single piece construction with hexagonal shank,

\$34.39

\$29.90



6MM NUMBER & LETTER **PUNCH SETS**

GROZ, Letter and Number Stamps are manufactured from selected quality carbon steel. Punches are through induction hardened, which gives durability and extended life for repeated use. The hardness at the stamping end is maintained at 58-62 HRC, the striking end is tempered to 38-43 HRC. This prevents the punch from splintering during use. The striking end is chamfered to prevent breakage and accidents due to flying splinters.

GZ25905 - Number \$21.40 (ex gst) \$24.61 (ex gst)

\$64.30 (ex gut) \$73.95 (lec gut) GZ26105 - Letter





→ GROZ

4" SCRIBER

durable of Centre Punches.

\$16.70

\$1921

· Scriber with pocket clip. Scriber point is held by a knurled chuck and can be reversed when not

Overall Length - 3-1/2" (89mm)

AUTO CENTRE PUNCH GD

\$2944

\$25.60

GROZ

. The depth of the impression is variable and can be adjusted from light marking to heavy blows by turning the knurled head.

Length - 4-3/4" (120mm) Body Diameter - 33/64" (13mm)



AUTO CENTRE PUNCH HD

GZ25010 \$23∞

520.00

. The depth of the impression is variable and can be adjusted from light marking to heavy blows by turning the knurled head.

· Tips are made from hardened tool steel and can be easily removed for re-sharpening or replacement.

Length - 5-3/4" (146mm) Body Diameter - 23/32" (18mm)







PRO35 MAGNETIC BASE DRILL

\$1633^{60,816} \$1420.00



Holemaker Pro 35

Quality, Compact & Robust Fully Featured Machine

The Holemaker PRO 35 is a high quality, compact & robust, fully featured machine. Weighing in at just 10kg, this machine is ideal for those on site & overhead tasks, whilst the solid, robust construction means the HMPRO35 is perfect for everyday manufacturing type applications.

Part Number	HMPR035	
Copocity (Diameter)	35mm	
Copocity (Depth)	52mm	
Motor Power	920 Wott	
Input Power	1000 Watt Single Phase 240V	
Speed	350rpm	
Weight	10.0kg	
Magnetic Dead Lift	950Nm on 25mm Steel Plate	
Height (min/max)	306 / 376mm	
Incorporated Through Sp	pindle Coolant System	
	gy to ensure sufficient Magnetic Adhesion	
	Core with Cutter Coard & Colety Steps	

PROSO MAGNETIC BASE DRILL

HMPR050 \$3254.50 MC

\$2830.00





Holemaker Pro 50

#2 Morse Taper, Versatile Multi Purpose Machine

The ability to use Holemaker Cutters, No. 2 Morse Taper Shank Drills & Reamers, as well as a drill chuck makes this a very versatile machine. Satisfying most requirements with a capacity of 52mm Diameter & 52mm Depth of cut when using Holemaker cutters & 23mm diameter using taper shank drills or reamers. An industrial 2 speed gearbox & 1260w motor provide a strong hardworking machine. Cast iron construction. Handles can be easily changed from left to right hand operation. Side mounted gravity feed coolant system. Suitable for steel fabrication, engineering workshops & maintenance facilities where a heavy duty versatile

Part Number	HMPR050	
Copacity (Diameter)	52mm	
Copocity (Depth)	52mm	
Copocity (Twist Drills)	#2 Morse Toper 23mm	
Motor Power	1260Watt	
Input Power	1300Watt Single Phase 240V	
Speed	2 Speed 200 / 400rpm	
Weight	16.5kg	
Mognetic Dead Lift	12000Nm on 25mm Steel Plate	
Height (min / max)	426mm / 579mm	
Incorporated Through Spi	ndle Coolant System	
Smart Magnet Technolog	y to ensure sufficient Magnetic Adhesion.	

PRO40 MAGNETIC BASE DRILL

\$1915.00 \$2202-25 [8

Holemaker





Holemaker Pro 40

Economical & Versatile Machine

Featuring on 1100 Watt Motor, Powerful Dual Coil Magnet, Capacity of 40mm Diameter & 52mm Depth of Cut. Available with the option of a Quick Grip arbor for fast toolless cutter changing, or a conventional grub screw arbor. The ability to easily accept twist drills up to 13mm "using the optional chuck & adaptor, makes this a versatile machine. Through cutter coolant feed, with an external side mounted coolant tank ensures smooth fast clean hole cutting. With all the above features in a high quality, compact, lightweight, duarable machine, the Holemaker 40 is Exceptional Value for Money.

Port Number	HMPRO40	
Capacity (Diameter)	40mm	
Capacity (Depth)	52mm	
Motor Power	1020 Watt	
Input Power	1100 Watt Single Phase 240V	
Speed	440rpm	
Weight	13.7kg	
Magnetic Dead Lift	10650Nm on 25mm Steel Plate	
Height (min/max)	390 / 508mm	
Incorporated Through Sp	pindle Coolant System	
Smort Moonet Technolog	ou to ensure sufficient Monnetic Adhesion	

PRO75 MAGNETIC BASE DRILL

Supplied in Metal Carry Case with Cutter Guard & Safety Strop

HMPR075

\$5530.00 \$6359.50 NG





Holemaker Pro 75

#3 Morse Taper Variable Speed Machine

The Holemaker PRO 75 is a versatile, multi purpose machine, equipped with a #3 Morse Taper Spindle. The 2 speed gearbox with electronic variable speed, Electronic Speed Stabilisation System (ESSS) & motor soft start feature makes this machine ideal for tapping. With a large cutting capacity of 75mm diameter & 75mm depth (110mm with optional arbor) using Holemaker Cutters, this machine will suffice for most holemaking requirements. Other standard features include gravity feed coolant system & left or right hand feed handle operation.

Port Number	HMPR075
Capacity (Diameter)	75mm
Capacity (Depth)	110mm
Capacity (Twist Drills)	#3 Morse Toper 32mm
Motor Power	1650Watt
Input Power	1800Watt Single Phase 240V
Speed	2 Speed Gearbox with electronic variable speed 80-160; 210-420rpm & motor motor soft start feature
Weight	27.0kg
Mognetic Dead Lift	19500Nm on 25mm Steel Plate
Height (min / max)	525mm / 739mm
Incorporated Through Spi	indle Coolant System
	y to ensure sufficient Magnetic Adhesion.

Indestructible Handle Hammers Feature

 Spring Steel Bars - Run through the hammer handle & eliminate handle breaking due to an overstrike

 Steel Locking Plate - Locks hammer head to the handle eliminating loosening or dislodging

 Non Slip Vulcanized Rubber Handle - Absorbs impact & vibration reducing user fatigue

Drop Forged Steel Head Induction hardened to 50-58HRC

Lanyard Hole - Safely secures hammer to wrist or any other surface.

Туре	GZ34575	GZ34576
Club Sledge	2 1/12 lb (1.1kg) Hammer	4 lb (1.8kg) Hammer Head x
Hammer	Head x 12" (300mm) long	12" (300mm) long
Ball Pein	24 oz (0.684kg) Hammer	32 oz (0.912kg) Hammer
Hammer	Head x 14" (350mm) long	Head x 14" (350mm) long
Cross Pein	2 1/12 lb (1.1kg) Hammer	2 1/12 lb (1.1kg) Hammer
Hammer	Head x 16" (400mm) long	Head x 16" (400mm) long
ex GST	\$249.00	\$260.00
inc GST	\$286.35	\$299.00





Steel Locking Plate

→ GROZ



Ergonomic Rubber Grip Handle

Limited Stock

















OP OF YOUR DREAMS

Back panels can be used with the workbenches for hanging tools in an easy to reach location.

Drawers have all of the

features that you would expect from Teng Tools, ball bearing slides, drawer liners and can be used to store the Teng Tools tool trays. 'Get Organised' in your workshop. A SELECTION OF WORKSHOP MODULES:

700MM WIDE EQUIPPED MODULAR RACKING SHELVING UNIT

ock N RSK0700

ex GST inc GST

979.00 1125.85

800MM WIDE MODULAR RACKING CORNER SHELF UNIT

Stock No. RSKC02

ex GST | inc GST

849.00 976.35

700MM WIDE MOBILE WORK TROLLEY

HERE THE SERVEN

ex GST | inc GST

429.00 493.35

120KG 3.7M MULTIFOLD **ALUMINIUM LADDER**

PE8925 \$182.85

This multi-purpose folding ladder is an all-in-one ladder system with 14 configurations. The multifold ladder is constructed of high grade aluminium and supports up to 120kg. When not in use, the step ladder folds flat for easy transport or storage. Basic set ups include stepladder, wall ladder, scaffold and workbench.

Conforms to AS/NZS 1892.1.

Specification:

- 120kg Load Capacity
- High Grade Aluminium Construction
- Auto Lock Hinges
- · Max extended Height 3.7m
- Platform Height 1.03m
 'A' Step Ladder Height 1.8m
- Folded Size (for storage) 1030(H) x 540(W) x 280(D)mm
- Net Weight 10.1kg



Step High

Scaffold

Trestle

150KG 3.8M TELESCOPIC **ALUMINIUM LADDER**

\$310-50 8

Telescopic ladder features heavy-duty construction and is designed to hold up to professional use, making it a great choice for contractors or the serious do-it-yourselfer. The ladder extends in 30cm increments to 3.8m and 94cm when not in use, so it stores virtually anywhere. Suitable for indoor and outdoor work.

Features:

- Heavy duty aluminium construction
- No-pinch closure system
- Integrated carry handle
- Non-slip rung tread & feet
- Lightweight and compact

Specifications:

- Extended Height 3.8m
- Closed Height 94cm
- Step Height 30cm
- Alloy Thickness 1.25-1.3mm
- Maximum load weight 150kg
- Weight 11.3kg



COMPACT DESIGN



PORTABLE


Soft Close Locking Mechanism



Hand Grip & **Velcro Storage** Strap



Rubber Tipped Feet



Stores advertised on this page of this catalogue are independent businesses. Every effort is made to ensure advertised stock is available, but due to factors beyond the control of ISL Industrial Limited (Importer), not all products in this catalogue are available at all stores. Prices for the products are recommended only. Regular prices may vary from store to store, the catalogue pricing is calculated in good faith as the average price at the time of preparation. ISL Industrial Limited (Importer) reserve the right to correct printing & pricing errors. Additional freight charges may apply if product is ordered in. All sizes shown are approximate only. Accessories shown do not come with product unless otherwise specified. Due to printing process, colours in this catalogue may vary slightly to actual item. ISL Industrial Limited (Importer) will do everything possible with in reason to maintain stocks of products advertised but cannot be responsible for unforeseen shortfalls beyond their control. Reproduction in whole or part is prohibited without written approval.















Scoffold



